

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Key Diagnostic Symptoms

- ◆ Bloating
- ◆ Pelvic or abdominal pain
- ◆ Difficulty eating or feeling full quickly
- ◆ Urinary symptoms (urgency or frequency)

Lasts > a few weeks?

Change from your normal?

See your doctor – preferably a gynecologist.

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net

Other Common Symptoms

- ♦Fatigue
- ♦Indigestion
- ♦Back pain
- ♦Pain with intercourse
- ♦Constipation
- ♦Menstrual irregularities

While common, these other symptoms are less diagnostically helpful since they are also found in many women *without* ovarian cancer.

For more info visit www.ovca.net